

Drug Facts

Active ingredient (in each strip)

Standardized Sennosides 8.6 mg.....Stimulant Laxative

Purpose

Use for relief of occasional constipation. Generally produces a bowel movement in 6 to 12 hours.

Warnings

Ask a doctor before using any laxative if your child has

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop using this product and consult a doctor if your child has

- rectal bleeding
- no bowel movement after 12 hours

These symptoms may be signs of a serious condition.

Ask a doctor or pharmacist before use if your child is taking non-steroidal anti-inflammatory drugs (NSAIDs).

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Use dosage chart for proper dosing.

Age	Starting Dose	Maximum dose per day
children 6 to under 12 years	2 strips	Do not exceed 4 strips in 24 hours
children 2 to under 6 years	1 strip	Do not exceed 2 strips in 24 hours
children under 2 years	ask a doctor	

Place quick dissolve strip on child's tongue or have child place on the tongue. Allow strip to dissolve. Encourage your child to drink plenty of liquids.

Drug Facts (continued)

Other information

- Do not use if foil packet is torn or open.
- Color of strip may vary.
- Store at controlled room temperature 15-30°C (59-86°F)

Inactive ingredients

butylated hydroxytoluene, FD&C Red No. 40, flavor, hydroxypropyl methylcellulose, malic acid, methylparaben, polydextrose, polyethylene oxide, simethicone, sodium bicarbonate, sucralose, white ink.

Questions?

1-866-255-6960 or
www.pedia-lax.com

© C.B. Fleet Company, Inc. 2007
The package design is a trademark of
C.B. Fleet Company, Inc.
Lynchburg, VA 24502 U.S.A.

Fleet
Laboratories