

Drug Facts

Active ingredients (in each 59-mL delivered dose)

	Purpose
Monobasic sodium phosphate 9.5 g....	Saline laxative/ bowel cleanser
Dibasic sodium phosphate 3.5 g....	Saline laxative/ bowel cleanser

Use for relief of occasional constipation or bowel cleansing before rectal examinations

Warnings

For rectal use only

Dosage Warning:
Using more than one enema in 24 hours can be harmful.

Ask a doctor before using this product if the child

- is on a sodium-restricted diet
- has kidney disease

Ask a doctor before using any laxative if the child has

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and ask a doctor if the child has

- rectal bleeding
 - no bowel movement after use
- These symptoms may indicate a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Professional Use Warnings

Do not use in patients with congestive heart failure, clinically significant impairment of renal function, ascites, known or suspected gastrointestinal obstruction, megacolon (congenital or acquired) or imperforate anus. **Use with caution** in patients with impaired renal function or pre-existing electrolyte disturbances, or in patients on diuretics or other medications which may affect electrolyte levels or where colostomy exists. Since FLEET® Enema contains sodium phosphates, there is a risk of elevated serum levels of sodium and phosphate and decreased levels of calcium and potassium, and consequently hypernatremia, hyperphosphatemia, ▶

Drug Facts (continued)

Professional Use Warnings (continued)

hypocalcemia, hypokalemia and acidosis may occur. This is of particular concern in children with megacolon or any other condition where there is retention of enema solution. Additional liquids by mouth are recommended.

Directions

Single Daily Dosage

Do not use more unless directed by a doctor. See Warnings.

children 5 to 11 years	1 bottle or as directed by a doctor
children 2 to under 5 years	one-half bottle (see below)
children under 2 years	DO NOT USE

One-half bottle preparation:

Unscrew cap and remove 2 table-spoons of liquid with a measuring spoon. Replace cap and follow directions below.

Other information

- each 59-mL delivered dose contains: sodium 2.2g
- this product generally produces a bowel movement in 1-5 minutes
- carton sealed for safety. If seal with Fleet emblem on top or bottom flap is broken or missing, do not use
- consult **PHYSICIANS' DESK REFERENCE®** for complete professional labeling

Inactive ingredients

benzalkonium chloride, disodium EDTA, purified water

Questions? 1-866-255-6960
www.pedia-lax.com

Fleet® Enemas are LATEX FREE.
Allergic reaction to materials containing Latex is a growing and serious medical problem.

© C.B. Fleet Company, Inc. 2007
The package design is a trademark of C.B. Fleet Company, Inc.
Lynchburg, VA 24502 U.S.A.

Fleet
Laboratories™