

# Drug Facts

## Active ingredient (in each suppository)

## Purpose

Glycerin 1 g.....Hyperosmotic laxative

## Uses

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

## Warnings

For rectal use only

May cause rectal discomfort or a burning sensation.

Ask a doctor before using any laxative if child has

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if child has

- rectal bleeding
- no bowel movement within 1 hour of using this product

These symptoms may indicate a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

### Single daily dosage

children 2 to under 6 years	1 suppository, or as directed by a doctor
children under 2 years	ask a doctor

Insert suppository well up into rectum.  
Suppository need not melt completely to produce laxative action.

## Other information

- Store container tightly closed.
- Keep away from excessive heat.
- MOUTH OF JAR SEALED FOR SAFETY.  
IF FOIL IMPRINTED WITH GREEN FLEET®  
EMBLEM IS BROKEN OR MISSING,  
DO NOT USE.

## Inactive ingredients

edetate disodium, purified water, sodium hydroxide, stearic acid

Questions? 1-866-255-6960 or  
[www.pedia-lax.com](http://www.pedia-lax.com)